


ماكسويل لآبواب الأوتوماتيكية ذ.م.م. Maxwell Automatic Doors Co.L.L.C.

TEL: +97155 937 9488

EMAIL: INFO@MAXWELLDOR.AE

WWW.MAXWELLDOR.AE



LOCATION SCAN



2022 BROCHURE



IDA
International Door Association



INTERNATIONAL
CHAMBER
OF COMMERCE



Brand: Italpannelli

Specifications

- ✓ Size upto 8m width x 8m height
- ✓ Panels 500mm height x 40mm thickness
- ✓ Central Motor

✓ Power Supply: AC 230V

✓ Protection Class: IP55

✓ Certification: CE



Brand: Maxwell

Specifications

- ✓ Aluminium Frame, Power Coated Finish With 3mm-5mm Clear Glass or Acrylic Sheet.
- ✓ Default Size 6m width x 3m height
- ✓ Central Motor or Side Motor

✓ Power Supply: AC 230V

✓ Protection Class: IP55

✓ Certification: CE



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ 4.2M Size with AC 220V Power Supply
- ✓ Opening Time 0-8s
- ✓ IP54 with CE Certification



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ AC 220V Power Supply
- ✓ Opening Speed of 3-7s
- ✓ IP54 with CE Certification



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications


- ✓ Slat Thickness 1.1mm t hickness with each slat height 77mm
- ✓ Thermal / Sound Insulation
- ✓ Dust Prevention



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Slat Thickness 3mm thickness UV treated and non-toxic polycarbonate slats that are 100mm high and 3mm wide each with slat height 77mm.
- ✓ Extremely Secure



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Slat Thickness 1.1mm thickness with each slat height 77mm
- ✓ Extremely Secure
- ✓ Perforated



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Rolling Grills provide optimal protection without sacrificing visual access, air circulation or light infiltration.
- ✓ Extremely Secure



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Slat Thickness 1.2mm thickness with each slat height 77mm.
- ✓ Zinc Alloy Coating
- ✓ Corrosion Resistance



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Slat Thickness 0.5mm thickness.
- ✓ Extremely Secure
- ✓ Manual Operation with Lock

Dubai

HOTLINE:

050 458 1800

SEND AN EMAIL:

dxs@maxwelldoor.ae

GROUND FLOOR, PLOT NO 520
GALADARI BUILDING
AL KHABISI, DEIRA
DUBAI - UAE.

Abu Dubai

HOTLINE:

055 936 2833

SEND AN EMAIL:

ad@maxwelldoor.ae

OFFICE NO. 12, FIRST FLOOR, JUMBO
BUILDING, MUSSAFH INDUSTRIAL AREA
M-43, MUSSAFH, P.O.BOX: 8516, ABU-
DHABI, UAE.

Sharjah & Ajman

HOTLINE:

055 937 9488

SEND AN EMAIL:

shj@maxwelldoor.ae

E 311 - Sheikh Mohammed Bin Zayed Rd -
Near National Paints - Al Sharjah &
AJMAN INDUSTRIAL AREA, P.O.BOX:
82715, AJMAN, UAE.

India

HOTLINE:

+91 90522 21035

SEND AN EMAIL:

ind@maxwelldoor.ae

MAXWELL AUTOMATIC DOORS INDIA PVT.
LTD. 1st FLOOR, OFFICE NO. 167/1&2, SS
COMPLEX, N.R. ROAD, DAVANAGERE,
P.O.BOX: 577001, KARNATAKA, INDIA.

Product Installation

Maxwell provides Installation Services for all types of entrance automation products & services in all over the Emirates - United Arab Emirates, GSS, Middle East & Africa.

Product Repair

Maxwell provides Professional Fixing Services for all types of entrance automation product all over the Emirates. We will respond immediately once the work's confirmed.

Product Maintenance

Maxwell provides Professional Maintenance Services for all types of entrance automation product all over the Emirates. We will provide free site visit & price quotes.

Maxwell Automatic Doors - Leads in Entrance Automation Since 2009.
Visit our showrooms for a free in-store exhibition experience and see all the products in action.



Brand: Maxwell

Specifications

- ✓ Available in 600KG, 1500KG & 2500KG
- ✓ Power Supply AC 220V
- ✓ 100% Copper Motor Winding Wire
- ✓ Output Torque 412 Nm
- ✓ Input Torque -4.8 Nm
- ✓ IP54 Protection with CE Certification



Brand: Maxwell

Specifications

- ✓ Power Supply AC 220V
- ✓ Lifting Power 140 Nm
- ✓ Noise <60dB
- ✓ Protection Class IP54
- ✓ CE Certification
- ✓ Complete Accessories



Remote Control Brands

- ✓ IDEA
- ✓ CAME
- ✓ CASIT
- ✓ BFT
- ✓ SOMMER
- ✓ APPRIMATIC
- ✓ MOTORLINE
- ✓ NICE
- ✓ FAAC

Accessories

- ✓ GSM
- ✓ Loop Detector
- ✓ Universal Receiver
- ✓ Sliding Glass Door Sensors
- ✓ SOMMER
- ✓ Push Buttons
- ✓ Flashing Lights
- ✓ Photocells
- ✓ RFID Cards
- ✓ Long Range Sensors



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Motor with 220V, 2 Nos. remote control & control box.
- ✓ Max Length per leaf 2-4M
- ✓ Max weight per leaf 350KG



Brand: IDEA by MPC-Italy
Model: SW

Specifications

- ✓ Motor with 220V, 2 Nos. remote control & control box.
- ✓ Max Length per leaf 2-4M
- ✓ Max weight per leaf 350KG



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ AC 220V Power Supply with 50Hz Frequency
- ✓ Input Power 80W
- ✓ Lifting Height 6M
- ✓ Operation Time 6s
- ✓ Torque 8Nm
- ✓ IP54 with CE Certification



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Custom Diameter & Height
- ✓ SS Brush Finishing
- ✓ Complied Crash Rated Bollards



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ Custom Diameter & Height
- ✓ SS Brush Finishing
- ✓ Complied Crash Rated Bollards



Brand: IDEA by MPC-Italy
Model: MAX4000

Specifications

- ✓ 220mm Diameter & 800mm Height
- ✓ AC 220V Power Supply
- ✓ Crash Speed 30 MPH
- ✓ IP54 with K4 Certification




IDEA®
BY MPC - ITALY

Brand: IDEA by MPC-Italy
Model: 1200GD

Specifications

- ✓ Motors with Steel or Aluminium Rail & Chain for Doors upto 3mtr. height.
- ✓ Two remote controls with 4 buttons Built in receiver.
- ✓ For Garage Door Opener upto 18m²



IDEA®
BY MPC - ITALY

Brand: IDEA by MPC-Italy
Model: BLDC

Specifications

- ✓ Motor with 220V, mounting bracket, fixing sleeve, flat key, hex bolt & control box.
- ✓ Output speed 42-60RPM
- ✓ Door size 25m²
- ✓ 2 Nos. remotes



Brand: IDEA by MPC-Italy
Model: SL800

Specifications

- ✓ 800KG Motor
- ✓ 1 Logic Board with Soft Stop
- ✓ Built-in Receiver
- ✓ 2 Remote Controls
- ✓ 1 Extremal Safety Photocell Kit 220V. Motor Speed 1400R/mm
- ✓ CE Certified with IP44

Brand: IDEA by MPC-Italy
Model: SL1500

Specifications

- ✓ 1500KG Motor
- ✓ 1 Logic Board with Soft Stop
- ✓ Built-in Receiver
- ✓ 2 Remote Controls
- ✓ 1 Extremal Safety Photocell Kit 220V. Motor Speed 1400R/mm
- ✓ CE Certified with IP44

Brand: IDEA by MPC-Italy
Model: SL800

Specifications

- ✓ 800KG Motor
- ✓ 1 Logic Board with Soft Stop
- ✓ 2 Remote Controls
- ✓ Built-in Receiver
- ✓ 1 Extremal Safety Photocell Kit 220V. Motor Speed 1400R/mm
- ✓ CE Certified with IP44